

## 兔抗 ACAA2 多克隆抗体

中文名称：兔抗 ACAA2 多克隆抗体

英文名称：Anti-ACAA2 rabbit polyclonal antibody

别名：DSAEC

抗原：ACAA2

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

<b>Background:</b>	3-Ketoacyl-CoA thiolase, mitochondrial also known as acetyl-Coenzyme A acyltransferase 2 is an enzyme that in humans is encoded by the ACAA2 gene. Acetyl-Coenzyme A acyltransferase 2 is an acetyl-CoA C-acyltransferase enzyme. The encoded protein catalyzes the last step of the mitochondrial fatty acid beta-oxidation spiral. Unlike most mitochondrial matrix proteins, it contains a non-cleavable amino-terminal targeting signal.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	ACAA2
<b>Immunogen:</b>	Fusion protein of human ACAA2
<b>Full name:</b>	acetyl-CoA acyltransferase 2

<b>Synonyms :</b>	DSAEC
<b>SwissProt:</b>	P42765
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human thyroid cancer and human lung cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	42 kDa
<b>WB Positive control:</b>	Hela, A549, NIH/3T3 and A172 cells, human liver cancer tissue
<b>WB Recommended dilution:</b>	200-1000



