

兔抗 ACVR2A 多克隆抗体

中文名称：兔抗 ACVR2A 多克隆抗体

英文名称： Anti-ACVR2A rabbit polyclonal antibody

别名： ACVR2; ACTRII

抗原： ACVR2A

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a receptor that mediates the functions of activins, which are members of the transforming growth factor-beta (TGF-beta) superfamily involved in diverse biological processes. The encoded protein is a transmembrane serine-threonine kinase receptor which mediates signaling by forming heterodimeric complexes with various combinations of type I and type II receptors and ligands in a cell-specific manner. The encoded type II receptor is primarily involved in ligand-binding and includes an extracellular ligand-binding domain, a transmembrane domain and a cytoplasmic serine-threonine kinase domain.
Applications:	ELISA, WB, IHC
Name of antibody:	ACVR2A
Immunogen:	Synthetic peptide of human ACVR2A
Full name:	activin A receptor, type IIA
Synonyms :	ACVR2; ACTRII
SwissProt:	P27037
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and Human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	58 kDa
WB Positive control:	293T cells, human fetal brain tissue and K562 cells, human fetal liver tissue and HeLa cells
WB Recommended dilution:	500-2000

