

## 兔抗 ADCY8 多克隆抗体

中文名称：兔抗 ADCY8 多克隆抗体

英文名称： Anti-ADCY8 rabbit polyclonal antibody

别名： AC8; ADCY3; HBAC1

抗原： ADCY8

储存： 冷冻（-20℃） 避光

宿主： Rabbit

相关类别： 一抗

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

|                                |  |
|--------------------------------|--|
| <b>Background:</b>             | Adenylate cyclase is a membrane bound enzyme that catalyses the formation of cyclic AMP from ATP. The enzymatic activity is under the control of several hormones, and different polypeptides participate in the transduction of the signal from the receptor to the catalytic moiety. Stimulatory or inhibitory receptors (Rs and Ri) interact with G proteins (Gs and Gi) that exhibit GTPase activity and they modulate the activity of the catalytic subunit of the adenylate cyclase. |
| <b>Applications:</b>           | IHC, IF  |
| <b>Name of antibody:</b>       | ADCY8  |
| <b>Immunogen:</b>              | Synthesized peptide derived from internal of human ADCY 8.   |
| <b>Full name:</b>              | adenylate cyclase 8 (brain)  |
| <b>Synonyms :</b>              | AC8; ADCY3; HBAC1  |
| <b>SwissProt:</b>              | P40145   |
| <b>IHC positive control:</b>   | Human brain tissue   |
| <b>IHC Recommend dilution:</b> | 50-100   |
| <b>IF positive control:</b>    | A549 cells   |
| <b>IF Recommend dilution:</b>  | 100-500  |



