

## 兔抗 ALPP 多克隆抗体

中文名称：兔抗 ALPP 多克隆抗体

英文名称： Anti-ALPP rabbit polyclonal antibody

别名： ALP; PALP; PLAP; PLAP-1

相关类别： 一抗

抗原： ALPP

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

#### Background:

There are at least four distinct but related alkaline phosphatases: intestinal, placental, placental-like, and liver/bone/kidney (tissue non-specific). The first three are located together on chromosome 2 while the tissue non-specific form is located on chromosome 1. The product of this gene is a membrane bound glycosylated enzyme, also referred to as the heat stable form, that is expressed primarily in the placenta although it is closely related to the intestinal form of the enzyme as well as to the placental-like form. The coding sequence for this form of alkaline phosphatase is unique in that the 3' untranslated region contains multiple copies of an Alu family repeat. In addition, this gene is polymorphic and thr

	ee common alleles (type 1, type 2 and type 3) for this form of alkaline phosphatase have been well characterized.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	ALPP
<b>Immunogen:</b>	Fusion protein of human ALPP
<b>Full name:</b>	alkaline phosphatase, placental
<b>Synonyms :</b>	ALP; PALP; PLAP; PLAP-1
<b>SwissProt:</b>	P05187
<b>ELISA Recommended dilution:</b>	2000-10000
<b>IHC positive control:</b>	Human lung cancer and Human thyroid cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	58 kDa
<b>WB Positive control:</b>	HepG2 cells and human placenta tissue
<b>WB Recommended dilution:</b>	1000-5000



