

兔抗 ANAPC2 多克隆抗体

- 中文名称: 兔抗 ANAPC2 多克隆抗体
- 英文名称: Anti-ANAPC2 rabbit polyclonal antibody
- 别名: APC2; RP11-350014.5
- 相关类别: 一抗
- 抗 原: ANAPC2
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	A large protein complex, termed the anaphase-promoti ng complex (APC), or the cyclosome, promotes metaph ase-anaphase transition by ubiquitinating its specific su bstrates such as mitotic cyclins and anaphase inhibitor, which are subsequently degraded by the 26S proteaso me. Biochemical studies have shown that the vertebrate APC contains eight subunits. The composition of the A PC is highly conserved in organisms from yeast to hum ans. The product of this gene is a component of the c omplex and shares sequence similarity with a recently i dentified family of proteins called cullins, which may als o be involved in ubiquitin-mediated degradation.
Applications:	ELISA, IHC

TW-reagent.com

全国订货电话 4008-723-722

Name of antibody:	ANAPC2
Immunogen:	Fusion protein of human ANAPC2
Full name:	anaphase promoting complex subunit 2
Synonyms :	APC2; RP11-350O14.5
SwissProt:	Q9UJX6
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human thyroid cancer and human liver cancer
IHC Recommend dilution:	50-200

