

## 兔抗 ANG 多克隆抗体

|       |                                     |
|-------|-------------------------------------|
| 中文名称: | 兔抗 ANG 多克隆抗体                        |
| 英文名称: | Anti-ANG rabbit polyclonal antibody |
| 别名:   | ALS9; HEL168; RNASE4; RNASE5        |
| 相关类别: | 一抗                                  |
| 抗原:   | ANG                                 |
| 储存:   | 冷冻 (-20℃)                           |
| 宿主:   | Rabbit                              |
| 反应种属: | Human                               |
| 标记物:  | Unconjugate                         |
| 克隆类型: | rabbit polyclonal                   |

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | The protein encoded by this gene is an exceedingly potent mediator of new blood vessel formation. It hydrolyzes cellular tRNAs resulting in decreased protein synthesis and is similar to pancreatic ribonuclease. Alternative splicing results in two transcript variants encoding the same protein. This gene and the gene that encodes ribonuclease, RNase A family, 4 share promoters and 5' exons. Each gene splices to a unique downstream exon that contains its complete coding region. |
| <b>Applications:</b>     | ELISA, WB   |
| <b>Name of antibody:</b> | ANG   |
| <b>Immunogen:</b>        | Fusion protein of human ANG   |

|                                    |   |
|------------------------------------|---|
| <b>Full name:</b>                  | angiogenin, ribonuclease, RNase A family, 5 |
| <b>Synonyms :</b>                  | ALS9; HEL168; RNASE4; RNASE5                |
| <b>SwissProt:</b>                  | P03950                                      |
| <b>ELISA Recommended dilution:</b> | 1000-2000                                   |
| <b>WB Predicted band size:</b>     | 17 kDa                                      |
| <b>WB Positive control:</b>        | Human normal liver and fetal liver tissue   |
| <b>WB Recommended dilution:</b>    | 200-1000                                    |

