

## 兔抗 APC 多克隆抗体

中文名称:	兔抗 APC 多克隆抗体
英文名称:	Anti-APC rabbit polyclonal antibody
别名:	WNT signaling pathway regulator; GS; DP2; DP3; BTPS2; DP2.5; PPP1R46
相关类别:	一抗
抗原:	APC
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a tumor suppressor protein that acts as an antagonist of the Wnt signaling pathway. It is also involved in other processes including cell migration and adhesion, transcriptional activation, and apoptosis. Defects in this gene cause familial adenomatous polyposis (FAP), an autosomal dominant pre-malignant disease that usually progresses to malignancy. Disease-associated mutations tend to be clustered in a small region designated the mutation cluster region (MCR) and result in a truncated protein product.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	APC
<b>Immunogen:</b>	Synthetic peptide of human APC

<b>Full name:</b>	WNT signaling pathway regulator
<b>Synonyms:</b>	GS; DP2; DP3; BTPS2; DP2.5; PPP1R46
<b>SwissProt:</b>	P25054
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and human thyroid cancer
<b>IHC Recommend dilution:</b>	40-200



