

兔抗 ATR 多克隆抗体

- 中文名称: 兔抗 ATR 多克隆抗体
- 英文名称: Anti-ATR rabbit polyclonal antibody
- 别 名: FRP1; MEC1; SCKL; FCTCS; SCKL1
- 储存: 冷冻(-20℃)
- 抗 原: ATR
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

	The protein encoded by this gene belongs the PI3/PI4- kinase family, and is most closely related to ATM, a pro tein kinase encoded by the gene mutated in ataxia tela
	ngiectasia. This protein and ATM share similarity with S
	chizosaccharomyces pombe rad3, a cell cycle checkpoint
	gene required for cell cycle arrest and DNA damage re
Background:	pair in response to DNA damage. This kinase has been
	shown to phosphorylate checkpoint kinase CHK1, check
	point proteins RAD17, and RAD9, as well as tumor sup
	pressor protein BRCA1. Mutations of this gene are asso
	ciated with Seckel syndrome. An alternatively spliced tra
	nscript variant of this gene has been reported, however,
	its full length nature is not known. Transcript variants u



全国订货电话 4008-723-722

	tilizing alternative polyA sites exist.
Applications:	ELISA, IHC
Name of antibody:	ATR
Immunogen:	Synthetic peptide of human ATR
Full name:	ATR serine/threonine kinase
Synonyms:	FRP1; MEC1; SCKL; FCTCS; SCKL1
SwissProt:	Q13535
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer
IHC Recommend dilution:	40-200

