

兔抗 BAG1 多克隆抗体

中文名称：兔抗 BAG1 多克隆抗体

英文名称： Anti-BAG1 rabbit polyclonal antibody

别名： HAP; BAG-1; RAP46

储存： 冷冻（-20℃）

抗原： BAG1

宿主： Rabbit

相关类别： 一抗

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The oncogene BCL2 is a membrane protein that blocks a step in a pathway leading to apoptosis or programmed cell death. The protein encoded by this gene binds to BCL2 and is referred to as BCL2-associated transcription factor. It enhances the anti-apoptotic effects of BCL2 and represents a link between growth factor receptors and anti-apoptotic mechanisms. Multiple protein isoforms are encoded by this mRNA through the use of a non-AUG (CUG) initiation codon, and three alternative downstream AUG initiation codons. A related pseudogene has been defined on chromosome X.
Applications:	ELISA, WB, IHC
Name of antibody:	BAG1

Immunogen:	Fusion protein of human BAG1
Full name:	BCL2-associated athanogene
Synonyms :	HAP; BAG-1; RAP46
SwissProt:	Q99933
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer and human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	39 kDa
WB Positive control:	Hela and Raji cells
WB Recommended dilution:	500-2000



