

兔抗 BRAF 多克隆抗体

- 中文名称：兔抗 BRAF 多克隆抗体
- 英文名称：Anti-BRAF rabbit polyclonal antibody
- 别名：NS7; BRAF1; RAFB1; B-RAF1
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：BRAF
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a protein belonging to the raf/mil family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERKs signaling pathway, which affects cell division, differentiation, and secretion. Mutations in this gene are associated with cardiofaciocutaneous syndrome, a disease characterized by heart defects, mental retardation and a distinctive facial appearance. Mutations in this gene have also been associated with various cancers, including non-Hodgkin lymphoma, colorectal cancer, malignant melanoma, thyroid carcinoma, non-small cell lung carcinoma, and adenocarcinoma of lung. A pseudogene, which is located on ch

| | |
|------------------------------------|---|
| | romosome X, has been identified for this gene. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | BRAF |
| Immunogen: | Synthetic peptide of human BRAF |
| Full name: | v-raf murine sarcoma viral oncogene homolog B |
| Synonyms : | NS7; BRAF1; RAFB1; B-RAF1 |
| SwissProt: | P15056 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human cervical cancer and Human prostate cancer |
| IHC Recommend dilution: | 50-200 |
| WB Predicted band size: | 84 kDa |
| WB Positive control: | Hela and Raji cells |
| WB Recommended dilution: | 500-2000 |



