

## 兔抗 CCL23 多克隆抗体

- 中文名称: 兔抗 CCL23 多克隆抗体
- 英文名称: Anti-CCL23 rabbit polyclonal antibody
- 别名: CKb8; MIP3; Ckb-8; MIP-3; MPIF-1; SCYA23; Ckb-8-1; hmrp-2a; CK-BETA-8
- 相关类别: 一抗
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 抗原: CCL23
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

### 技术规格

|                      |   |
|----------------------|---|
| <b>Background:</b>   | This gene is one of several chemokine genes clustered on the q-arm of chromosome 17. Chemokines form a superfamily of secreted proteins involved in immunoregulatory and inflammatory processes. The superfamily is divided into four subfamilies based on the arrangement of the N-terminal cysteine residues of the mature peptide. This chemokine, a member of the CC subfamily, displays chemotactic activity on resting T lymphocytes and monocytes, lower activity on neutrophils and no activity on activated T lymphocytes. The protein is also a strong suppressor of colony formation by a multipotential hematopoietic progenitor cell line. |
| <b>Applications:</b> | ELISA, IHC  |

|                                    |   |
|------------------------------------|---|
| <b>Name of antibody:</b>           | CCL23   |
| <b>Immunogen:</b>                  | Synthetic peptide of human CCL23                                      |
| <b>Full name:</b>                  | chemokine (C-C motif) ligand 23                                       |
| <b>Synonyms :</b>                  | CKb8; MIP3; Ckb-8; MIP-3; MPIF-1; SCYA23; Ckb-8-1; hmrp-2a; CK-BETA-8 |
| <b>SwissProt:</b>                  | P55773  |
| <b>ELISA Recommended dilution:</b> | 1000-5000   |
| <b>IHC positive control:</b>       | Human Lymphoma and Human lung cancer                                  |
| <b>IHC Recommend dilution:</b>     | 50-200  |

