

兔抗 CCT5 多克隆抗体

- 中文名称: 兔抗 CCT5 多克隆抗体
- 英文名称: Anti-CCT5 rabbit polyclonal antibody

别 名: chaperonin containing TCP1 subunit 5; CCTE; HEL-S-69; PNAS-102; CCT-epsilon; TCP-1-epsilon

- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: CCT5
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | The protein encoded by this gene is a molecular cha perone that is a member of the chaperonin containi ng TCP1 complex (CCT), also known as the TCP1 rin g complex (TRiC). This complex consists of two ident ical stacked rings, each containing eight different pr oteins. Unfolded polypeptides enter the central cavit y of the complex and are folded in an ATP-depende nt manner. The complex folds various proteins, inclu ding actin and tubulin. Mutations in this gene cause hereditary sensory and autonomic neuropathy with s pastic paraplegia (HSNSP). Alternative splicing results |
|-------------|---|
| | pastic paraplegia (HSNSP). Alternative splicing results in multiple transcript variants. Related pseudogenes |

TW-reagent.com

全国订货电话 4008-723-722

| | have been identified on chromosomes 5 and 13. |
|-----------------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | CCT5 |
| Immunogen: | Fusion protein of human CCT5 |
| Full name: | chaperonin containing TCP1 subunit 5 |
| Synonyms: | CCTE; HEL-S-69; PNAS-102; CCT-epsilon; TCP-1-epsilo |
| | n |
| SwissProt: | P48643 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil |
| IHC Recommend dilution: | 50-300 |

