

## 兔抗 CD160 多克隆抗体

中文名称：兔抗 CD160 多克隆抗体

英文名称： Anti-CD160 rabbit polyclonal antibody

别名： NK1; BY55; NK28

相关类别： 一抗

抗原： CD160

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	CD160 is an 27 kDa glycoprotein which was initially identified with the monoclonal antibody BY55. Its expression is tightly associated with peripheral blood NK cells and CD8 T lymphocytes with cytolytic effector activity. The cDNA sequence of CD160 predicts a cysteine-rich, glycosylphosphatidylinositol-anchored protein of 181 amino acids with a single Ig-like domain weakly homologous to KIR2DL4 molecule. CD160 is expressed at the cell surface as a tightly disulfide-linked multimer. RNA blot analysis revealed CD160 mRNAs of 1.5 and 1.6 kb whose expression was highly restricted to circulating NK and T cells, spleen and small intestine.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	CD160
<b>Immunogen:</b>	Fusion protein of human CD160
<b>Full name:</b>	CD160 molecule
<b>Synonyms :</b>	NK1; BY55; NK28
<b>SwissProt:</b>	O95971
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human thyroid cancer and human gastric cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	20 kDa
<b>WB Positive control:</b>	Hela cells
<b>WB Recommended dilution:</b>	500-2000



