

兔抗 CDC27 多克隆抗体

中文名称：兔抗 CDC27 多克隆抗体

英文名称： Anti-CDC27 rabbit polyclonal antibody

别名： APC3; HNUC; NUC2; ANAPC3; CDC27Hs; D0S1430E; D17S978E

相关类别： 一抗

抗原： CDC27

储存： 冷冻 (-20℃)

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The protein encoded by this gene shares strong similarity with <i>Saccharomyces cerevisiae</i> protein Cdc27, and the gene product of <i>Schizosaccharomyces pombe</i> nuc 2. This protein is a component of anaphase-promoting complex (APC), which is composed of eight protein subunits and highly conserved in eucaryotic cells. APC catalyzes the formation of cyclin B-ubiquitin conjugate that is responsible for the ubiquitin-mediated proteolysis of B-type cyclins. This protein and 3 other members of the APC complex contain the TPR (tetrapeptide repeat), a protein domain important for protein-protein interaction.
Applications:	ELISA, WB, IHC

Name of antibody:	CDC27
Immunogen:	Synthetic peptide of human CDC27
Full name:	cell division cycle 27
Synonyms :	APC3; HNUC; NUC2; ANAPC3; CDC27Hs; D0S1430E; D17S978E
SwissProt:	P30260
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	92 kDa
WB Positive control:	HepG2 and K562 cells
WB Recommended dilution:	500-2000



