

小鼠抗 CHGA 单克隆抗体

- 中文名称: 小鼠抗 CHGA 单克隆抗体
- 英文名称: Anti-CHGA mouse monoclonal antibody
- 别 名: CGA
- 抗 原: CHGA
- 储 存:冷冻(-20℃) 避光
- 宿 主: Mouse
- 反应种属: Human, Mouse
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: mouse monoclonal

技术规格

Background:	The protein encoded by this gene is a member of the c hromogranin/secretogranin family of neuroendocrine secr etory proteins. It is found in secretory vesicles of neuron s and endocrine cells. This gene product is a precursor t o three biologically active peptides; vasostatin, pancreast atin, and parastatin. These peptides act as autocrine or p aracrine negative modulators of the neuroendocrine syste m. Other peptides, including chromostatin, beta-granin, WE-14 and GE-25, are also derived from the full-length protein. However, biological activities for these molecules have not been shown. [provided by RefSeq, Jul 2008].
Applications:	WB, IHC, IF
Name of antibody:	CHGA
Immunogen:	Fusion protein of human CHGA





Full name:	chromogranin A (CHGA), transcript variant 1
Synonyms:	CGA
SwissProt:	P10645
IHC positive control:	human pancreas tissue and human liver tissue
IHC Recommend dilution:	30-150
WB Predicted band size:	51 kDa
WB Positive control:	SVT2, A549 cell lysates
WB Recommended dilution:	200-1000