

兔抗 ZNF207 多克隆抗体

中文名称: 兔抗 ZNF207 多克隆抗体

英文名称: Anti-ZNF207 rabbit polyclonal antibody

别名: BuGZ; hBuGZ

相关类别: 一抗

储存: 冷冻 (-20℃)

抗原: ZNF207

宿主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. The majority of zinc-finger proteins contain a Krüppel-type DNA binding domain and a KRAB domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins. ZNF207 (zinc finger protein 207) is a 478 amino acid protein that localizes to the nucleus and contains two C2H2-type zinc fingers. Expressed ubiquitously, ZNF207 may function as a transcription factor. Three isoforms of ZNF207 are expressed due to alternative splicing events.
Applications:	ELISA, WB, IHC
Name of antibody:	ZNF207

Immunogen:	Fusion protein of human ZNF207
Full name:	zinc finger protein 207
Synonyms:	BuGZ; hBuGZ
SwissProt:	O43670
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	51 kDa
WB Positive control:	HEPG2 and Hela cell lysates
WB Recommended dilution:	500-2000



