

全国订货电话 4008-723-722

兔抗 XPC 多克隆抗体

- 中文名称: 兔抗 XPC 多克隆抗体
- 英文名称: Anti-XPC rabbit polyclonal antibody

别 名: XPC complex subunit, DNA damage recognition and repair factor; XP3; RAD4; XPCC; p125

- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: XPC
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a key component of the XPC complex, which plays an important role in the e arly steps of global genome nucleotide excision repair (N ER). The encoded protein is important for damage sensin g and DNA binding, and shows a preference for single-st randed DNA. Mutations in this gene or some other NER components can result in Xeroderma pigmentosum, a rar e autosomal recessive disorder characterized by increased sensitivity to sunlight with the development of carcinoma s at an early age. Alternatively spliced transcript variants have been found for this gene.
Applications:	ELISA, IHC
Name of antibody:	XPC





Immunogen:	Synthetic peptide of human XPC
Full name:	XPC complex subunit, DNA damage recognition and repai r factor
Synonyms:	XP3; RAD4; XPCC; p125
SwissProt:	Q01831
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	30-150

