

全国订货电话 4008-723-722

兔抗 GHRL 多克隆抗体

- 中文名称: 兔抗 GHRL 多克隆抗体
- 英文名称: Anti-GHRL rabbit polyclonal antibody
- 抗 原: GHRL
- 别 名: MTLRP
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes the ghrelin-obestatin preproprotein t
	hat is cleaved to yield two peptides, ghrelin and obesta
	tin. Ghrelin is a powerful appetite stimulant and plays a
	n important role in energy homeostasis. Its secretion is
	initiated when the stomach is empty, whereupon it bind
	s to the growth hormone secretagogue receptor in the
	hypothalamus which results in the secretion of growth
	hormone (somatotropin). Ghrelin is thought to regulate
	multiple activities, including hunger, reward perception \boldsymbol{v}
	ia the mesolimbic pathway, gastric acid secretion, gastro
	intestinal motility, and pancreatic glucose-stimulated ins
	ulin secretion. It was initially proposed that obestatin pl
	ays an opposing role to ghrelin by promoting satiety a
	nd thus decreasing food intake, but this action is still d



全国订货电话 4008-723-722

	ebated. Recent reports suggest multiple metabolic roles for obestatin, including regulating adipocyte function an d glucose metabolism. Alternative splicing results in mul tiple transcript variants. In addition, antisense transcripts for this gene have been identified and may potentially r egulate ghrelin-obestatin preproprotein expression.
Applications:	ELISA, IHC
Name of antibody:	GHRL
Immunogen:	Synthetic peptide corresponding to a region derived fro m 104-117 amino acids of human GHRL
Full name:	ghrelin and obestatin prepropeptide
Synonyms:	MTLRP
SwissProt:	Q9UBU3
ELISA Recommended dilution:	5000-10000
IHC Positive control:	Human prostate cancer;
IHC Recommended dilution:	10-50

