

## 兔抗 UNG 多克隆抗体

中文名称:	兔抗 UNG 多克隆抗体
英文名称:	Anti-UNG rabbit polyclonal antibody
别名:	DGU; UDG; UNG1; UNG2; HIGM4; HIGM5; UNG15
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
抗原:	UNG
宿主:	Rabbit
反应种属:	Human Mouse Rat
标记物:	Unconjugate
克隆类型:	Unconjugate

### 技术规格

<b>Background:</b>	This gene encodes one of several uracil-DNA glycosylases. One important function of uracil-DNA glycosylases is to prevent mutagenesis by eliminating uracil from DNA molecules by cleaving the N-glycosylic bond and initiating the base-excision repair (BER) pathway. Uracil bases occur from cytosine deamination or misincorporation of dUMP residues.
<b>Applications:</b>	WB
<b>Name of antibody:</b>	UNG
<b>Immunogen:</b>	Synthesized peptide derived from internal of human UNG.
<b>Full name:</b>	uracil-DNA glycosylase
<b>Synonyms :</b>	DGU; UDG; UNG1; UNG2; HIGM4; HIGM5; UNG15
<b>SwissProt:</b>	P13051

<b>WB Predicted band size:</b>	35 kDa
<b>WB Positive control:</b>	HepG2 cells and COLO cells lysates
<b>WB Recommended dilution:</b>	500-3000

