

兔抗 WT1 多克隆抗体

中文名称: 兔抗 WT1 多克隆抗体

英文名称: Anti-WT1 rabbit polyclonal antibody

别 名: GUD; AWT1; WAGR; WT33; NPHS4; WIT-2; EWS-WT1

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: WT1

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

-rich DNA-binding domain at the N-terminus. It has an esse ntial role in the normal development of the urogenital syste m, and it is mutated in a small subset of patients with Wil m's tumors. This gene exhibits complex tissue-specific and polymorphic imprinting pattern, with biallelic, and monoallelic expression from the maternal and paternal alleles in differ ent tissues. Multiple transcript variants have been described. In several variants, there is evidence for the use of a non-A UG (CUG) translation initiation site upstream of and in-fram e with the first AUG. Authors of PMID:7926762 also provide evidence that WT1 mRNA undergoes RNA editing in human

and rat, and that this process is tissue-restricted and develo

This gene encodes a transcription factor that contains four zinc-finger motifs at the C-terminus and a proline/glutamine

Background:



全国订货电话 4008-723-722

	pmentally regulated.
Applications:	WB
Name of antibody:	WT1
Immunogen:	Fusion protein of human WT1
Full name:	Wilms tumor 1
Synonyms:	GUD; AWT1; WAGR; WT33;NPHS4; WIT-2; EWS-WT1
SwissProt:	P19544
WB Predicted band size:	49 kDa
WB Positive control:	Kidney tissue
WB Recommended dilution:	500-2000

