

兔抗 HDAC8 多克隆抗体

中文名称:	兔抗 HDAC8 多克隆抗体
英文名称:	Anti-HDAC8 rabbit polyclonal antibody
别名:	HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1
抗原:	HDAC8
储存:	冷冻 (-20℃)
宿主:	Rabbit
相关类别:	一抗
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class I of the histone deacetylase family. It catalyzes the deacetylation of lysine residues in the histone N-terminal tails and represses transcription in large multiprotein complexes with transcriptional co-repressors.
Applications:	ELISA, IHC
Name of antibody:	HDAC8
Immunogen:	Fusion protein of human HDAC8
Full name:	histone deacetylase 8
Synonyms :	HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1

SwissProt:	Q9BY41
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human brain and human esophagus cancer
IHC Recommend dilution:	50-200

