

兔抗 HEXIM2 多克隆抗体

中文名称：兔抗 HEXIM2 多克隆抗体

英文名称：Anti-HEXIM2 rabbit polyclonal antibody

别名：HEXIM P-TEFb complex subunit 2; L3

相关类别：一抗

抗原：HEXIM2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the HEXIM family of proteins. This protein is a component of the 7SK small nuclear ribonucleoprotein. This protein has been found to negatively regulate the kinase activity of the cyclin-dependent kinase P-TEFb, which phosphorylates multiple target proteins to promote transcriptional elongation. This gene is located approximately 7 kb downstream from related family member HEXIM1 on chromosome 17. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	HEXIM2
Immunogen:	Fusion protein of human HEXIM2
Full name:	HEXIM P-TEFb complex subunit 2

Synonyms:	L3
SwissProt:	Q96MH2
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	200-400
WB Predicted band size:	32 kDa
WB Positive control:	Mouse brain tissue lysate
WB Recommended dilution:	500-2000



