

## 兔抗 HIRIP3 多克隆抗体

中文名称: 兔抗 HIRIP3 多克隆抗体

英文名称: Anti-HIRIP3 rabbit polyclonal antibody

别 名: HIRA interacting protein 3

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: HIRIP3

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


## 技术规格

| Background:       | The HIRA protein shares sequence similarity with Hir1p and Hir2p, the two corepressors of histone gene transcription characterized in the yeast, Saccharomyces cerevisiae. The structural for the HIRA protein and the HIRA protein and the HIRA protein are the structural for the HIRA protein and the HIRA protein are the structural for the HIRA protein and the structural for the HIRA protein and the structural for |
|-------------------|--|
|                   | eatures of the HIRA protein suggest that it may function as p<br>art of a multiprotein complex. Several cDNAs encoding HIRA-i<br>nteracting proteins, or HIRIPs, have been identified. In vitro, th<br>e protein encoded by this gene binds HIRA, as well as H2B a   |
|                   | nd H3 core histones, indicating that a complex containing HIR A-HIRIP3 could function in some aspects of chromatin and his tone metabolism. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.  |
| Applications:     | ELISA, IHC   |
| Name of antibody: | HIRIP3   |



## 全国订货电话 4008-723-722

| Immunogen:                   | Fusion protein of human HIRIP3      |
|------------------------------|-------------------------------------|
| Full name:                   | HIRA interacting protein 3          |
| SwissProt:                   | Q9BW71                              |
| ELISA Recommended dilu tion: | 5000-10000                          |
| IHC positive control:        | Human liver cancer and Human tonsil |
| IHC Recommend dilution:      | 50-300                              |





全国订货电话 4008-723-722

