

## 兔抗 HOXD11 多克隆抗体

|       |  |
|-------|--|
| 中文名称: | 兔抗 HOXD11 多克隆抗体                        |
| 英文名称: | Anti-HOXD11 rabbit polyclonal antibody |
| 别名:   | Hox-4.6, Hoxd-11                       |
| 相关类别: | 一抗                                     |
| 储存:   | 冷冻 (-20℃)                              |
| 宿主:   | Rabbit                                 |
| 抗原:   | HOXD11                                 |
| 反应种属: | Human, Mouse                           |
| 标记物:  | Unconjugate                            |
| 克隆类型: | rabbit polyclonal                      |

### 技术规格

|                      |   |
|----------------------|---|
| <b>Background:</b>   | This gene belongs to the homeobox family of genes. The homeobox genes encode a highly conserved family of transcription factors that play an important role in morphogenesis in all multicellular organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and HOXD, located on different chromosomes, consisting of 9 to 11 genes arranged in tandem. This gene is one of several homeobox HOXD genes located in a cluster on chromosome 2. Deletions that remove the entire HOXD gene cluster or the 5' end of this cluster have been associated with severe limb and genital abnormalities. The product of the mouse Hoxd11 gene plays a role in forelimb morphogenesis. |
| <b>Applications:</b> | ELISA, WB   |

|                                    |                                   |
|------------------------------------|-----------------------------------|
| <b>Name of antibody:</b>           | HOXD11                            |
| <b>Immunogen:</b>                  | Synthetic peptide of human HOXD11 |
| <b>Full name:</b>                  | homeobox D11                      |
| <b>Synonyms :</b>                  | Hox-4.6, Hoxd-11                  |
| <b>SwissProt:</b>                  | P31277                            |
| <b>ELISA Recommended dilution:</b> | 1000-5000                         |
| <b>WB Predicted band size:</b>     | 34 kDa                            |
| <b>WB Positive control:</b>        | Mouse kidney tissue               |
| <b>WB Recommended dilution:</b>    | 1000-3000                         |

