

兔抗 ICAM3 多克隆抗体

中文名称:	兔抗 ICAM3 多克隆抗体
英文名称:	Anti-ICAM3 rabbit polyclonal antibody
别名:	CD50; CDW50; ICAM-R
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	ICAM3
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the intercellular adhesion molecule (ICAM) family. All ICAM proteins are type I transmembrane glycoproteins, contain 2-9 immunoglobulin-like C2-type domains, and bind to the leukocyte adhesion LFA-1 protein. This protein is constitutively and abundantly expressed by all leucocytes and may be the most important ligand for LFA-1 in the initiation of the immune response. It functions not only as an adhesion molecule, but also as a potent signaling molecule.
Applications:	ELISA, IHC
Name of antibody:	ICAM3
Immunogen:	Synthetic peptide of human ICAM3
Full name:	intercellular adhesion molecule 3

Synonyms:	CD50; CDW50; ICAM-R
SwissProt:	P32942
IHC positive control:	Human gastric cancer and human brain
IHC Recommend dilution:	25-100

