

## 兔抗 IFITM1 多克隆抗体

中文名称: 兔抗 IFITM1 多克隆抗体

英文名称: Anti-IFITM1 rabbit polyclonal antibody

别名: 9-27; CD225; IFI17; LEU13; DSPA2a

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: IFITM1

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: Unconjugate

### 技术规格

<b>Background:</b>	The IFITM family of proteins are transmembrane proteins so named because their expression is IFN-inducible. IFITM proteins have been found upregulated in human colorectal carcinomas. Both mouse IFITM1 (also known as CD225) and IFITM3 demonstrate expression on the cell surfaces of primordial germ cells in a developmentally-regulated manner. They presumably modulate cell adhesion and influence cell differentiation. IFITM1 activity is required for primordial germ cell transit, and IFITM1 acts as a repulsive molecule by repelling non-IFITM1-expressing primordial germ cells from the mesoderm into the endoderm.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	IFITM1

<b>Immunogen:</b>	Synthetic peptide of human IFITM1
<b>Full name:</b>	interferon induced transmembrane protein 1
<b>Synonyms :</b>	9-27; CD225; IFI17; LEU13; DSPA2a
<b>SwissProt:</b>	P13164
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human colorectal cancer and human ovarian cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	14 kDa
<b>WB Positive control:</b>	Hela and NIH/3T3 cell
<b>WB Recommended dilution:</b>	500-2000





