

兔抗 IDI2 多克隆抗体

- 中文名称：兔抗 IDI2 多克隆抗体
- 英文名称：Anti-IDI2 rabbit polyclonal antibody
- 别名：isopentenyl-diphosphate delta isomerase 2; IPPI2
- 相关类别：一抗
- 抗原：IDI2
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene catalyzes the conversion of isopentenyl diphosphate to dimethylallyl diphosphate, which is a precursor for the synthesis of cholesterol and other isoprenoids. This gene, which is a product of an ancestral gene duplication event, encodes a protein that may be involved in the aggregation of alpha-synuclein in the cerebral cortex of patients with Lewy body disease. In addition, segmental copy number gains in this locus have been associated with sporadic amyotrophic lateral sclerosis.
Applications:	ELISA, WB, IHC
Name of antibody:	IDI2
Immunogen:	Fusion protein of human IDI2

Full name:	isopentenyl-diphosphate delta isomerase 2
Synonyms:	IPPI2
SwissProt:	Q9BXS1
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	150-300
WB Predicted band size:	27 kDa
WB Positive control:	HepG2 cell, Human liver tissue, HT-29 cell, RAW264.7 cell lysates
WB Recommended dilution:	1000-5000



