

兔抗 IL9R 多克隆抗体

中文名称: 兔抗 IL9R 多克隆抗体

英文名称: Anti-IL9R rabbit polyclonal antibody

别 名: CD129; IL-9R

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: IL9R

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

specifically mediates the biological effects of interleukin 9 (IL9). The functional IL9 receptor complex requires this protein as well as the interleukin 2 receptor, gamma (IL2RG), a common gamma subunit shared by the receptors of many different cyt okines. The ligand binding of this receptor leads to the activation of various JAK kinases and STAT proteins, which connect to different biologic responses. This gene is located at the pseudoautosomal regions of X and Y chromosomes. Genetic studies suggested an association of this gene with the development of asthma. Multiple pseudogenes on chromosome 9, 10,

16, and 18 have been described. Alternatively spliced transcri

pt variants have been found for this gene.


The protein encoded by this gene is a cytokine receptor that

Background:



全国订货电话 4008-723-722

	,
Applications:	ELISA, WB, IHC
Name of antibody:	IL9R
Immunogen:	Synthetic peptide of human IL9R
Full name:	interleukin 9 receptor
Synonyms:	CD129; IL-9R
SwissProt:	Q01113
ELISA Recommended dilut ion:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	57 kDa
WB Positive control:	Jurkat , RAW264.7 , HUVEC and A549 cell lysates
WB Recommended dilutio n:	200-1000





全国订货电话 4008-723-722

