

## 兔抗 IL27RA 多克隆抗体

中文名称：兔抗 IL27RA 多克隆抗体

英文名称：Anti-IL27RA rabbit polyclonal antibody

别名：CRL1; TCCR; WSX1; IL27R; IL-27RA; zcytor1

相关类别：一抗

抗原：IL27RA

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	In mice, CD4+ helper T-cells differentiate into type 1 (Th 1) cells, which are critical for cell-mediated immunity, pre dominantly under the influence of IL12. Also, IL4 influences their differentiation into type 2 (Th2) cells, which are critical for most antibody responses. Mice deficient in these cytokines, their receptors, or associated transcription factors have impaired, but are not absent of, Th1 or Th2 immune responses. This gene encodes a protein which is similar to the mouse T-cell cytokine receptor Tccr at the amino acid level, and is predicted to be a glycosylated transmembrane protein.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	IL27RA

<b>Immunogen:</b>	Fusion protein of human IL27RA
<b>Full name:</b>	interleukin 27 receptor, alpha
<b>Synonyms :</b>	CRL1; TCCR; WSX1; IL27R; IL-27RA; zcytor1
<b>SwissProt:</b>	Q6UWB1
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human colon cancer and human brain
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	69 kDa
<b>WB Positive control:</b>	Mouse thymus and heart tissue
<b>WB Recommended dilution:</b>	200-1000



