

兔抗 IL27 多克隆抗体

中文名称:	兔抗 IL27 多克隆抗体
英文名称:	Anti-IL27 rabbit polyclonal antibody
别名:	p28; IL30; IL-27; IL27A; IL-27A; IL27p28
抗原:	IL27
储存:	冷冻 (-20℃)
宿主:	Rabbit
相关类别:	一抗
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is one of the subunits of a heterodimeric cytokine complex. This protein is related to interleukin 12A (IL12A). It interacts with Epstein-Barr virus induced gene 3 (EBI3), a protein similar to interleukin 12B (IL12B), and forms a complex that has been shown to drive rapid expansion of naive but not memory CD4(+) T cells. The complex is also found to synergize strongly with interleukin 12 to trigger interferon gamma (IFNG) production of naive CD4(+) T cells. The biological effects of this cytokine are mediated by the class I cytokine receptor (WSX1/TCRR)
Applications:	ELISA, IHC
Name of antibody:	IL27
Immunogen:	Fusion protein of human IL27

Full name:	interleukin 27
Synonyms :	p28; IL30; IL-27; IL27A; IL-27A; IL27p28
SwissProt:	Q8NEV9
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lymphoma and human liver cancer
IHC Recommend dilution:	25-100

