

兔抗 ITCH(Phospho-Tyr420) 多克隆抗体

中文名称:	兔抗 ITCH(Phospho-Tyr420) 多克隆抗体
英文名称:	Anti-ITCH(Phospho-Tyr420) rabbit polyclonal antibody
别名:	AIF4; AIP4; ADMFD; NAPP1; dJ468O1.1
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	ITCH(Phospho-Tyr420)
反应种属:	Human Mouse
标记物:	Unconjugate
克隆类型:	Unconjugate

技术规格

Background:	This gene encodes a member of the Nedd4 family of HECT domain E3 ubiquitin ligases. HECT domain E3 ubiquitin ligase s transfer ubiquitin from E2 ubiquitin-conjugating enzymes to protein substrates, thus targeting specific proteins for lysosomal degradation. The encoded protein plays a role in multiple cellular processes including erythroid and lymphoid cell differentiation and the regulation of immune responses. Mutations in this gene are a cause of syndromic multisystem autoimmune disease. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]
Applications:	IHC
Name of antibody:	ITCH(Phospho-Tyr420)
Immunogen:	Peptide sequence around phosphorylation site of tyrosine 42

	0(F-I-Y(p)-G-N) derived from Human ITCH .
Full name:	itchy E3 ubiquitin protein ligase
Synonyms :	AIF4; AIP4; ADMFD; NAPP1; dJ468O1.1
SwissProt:	Q96J02
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100

