

兔抗 ITGA2B 多克隆抗体

中文名称:	兔抗 ITGA2B 多克隆抗体
英文名称:	Anti-ITGA2B rabbit polyclonal antibody
别名:	GT; GTA; CD41; GP2B; HPA3; CD41B; GPIIb; BDPLT2; BDPLT16
相关类别:	一抗
抗原:	ITGA2B
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	ITGA2B encodes integrin alpha chain 2b. Integrins are hetero dimeric integral membrane proteins composed of an alpha c hain and a beta chain. Alpha chain 2b undergoes post-translational cleavage to yield disulfide-linked light and heavy chains that join with beta 3 to form a fibronectin receptor expressed in platelets that plays a crucial role in coagulation. Mutations that interfere with this role result in thrombasthenia. In addition to adhesion, integrins are known to participate in cell-surface mediated signalling.
Applications:	ELISA, WB, IHC
Name of antibody:	ITGA2B
Immunogen:	Fusion protein of human ITGA2B

Full name:	integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41)
Synonyms :	GT; GTA; CD41; GP2B; HPA3; CD41B; GPIIb; BDPLT2; BDPLT16
SwissProt:	P08514
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human colon cancer and human lung cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	113 kDa
WB Positive control:	Human fetal liver and placenta tissue
WB Recommended dilution :	200-1000



