

兔抗 ITM2B 多克隆抗体

中文名称:	兔抗 ITM2B 多克隆抗体
英文名称:	Anti-ITM2B rabbit polyclonal antibody
别名:	BRI; FBD; ABRI; BRI2; E25B; E3-16; RDGCA; imBRI2; BRICD2B
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	ITM2B
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Amyloid precursor proteins are processed by beta-secretase and gamma-secretase to produce beta-amyloid peptides which form the characteristic plaques of Alzheimer disease. This gene encodes a transmembrane protein which is processed at the C-terminus by furin or furin-like proteases to produce a small secreted peptide which inhibits the deposition of beta-amyloid. Mutations which result in extension of the C-terminal end of the encoded protein, thereby increasing the size of the secreted peptide, are associated with two neurodegenerative diseases, familial British dementia and familial Danish dementia.
Applications:	ELISA, WB, IHC
Name of antibody:	ITM2B

Immunogen:	Fusion protein of human ITM2B
Full name:	integral membrane protein 2B
Synonyms:	BRI; FBD; ABRI; BRI2; E25B; E3-16; RDGCA; imBRI2; BRICD2B
SwissProt:	Q9Y287
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	30 kDa
WB Positive control:	Rat kidney tissue lysate
WB Recommended dilution:	500-2000



