

## 兔抗 LRRC19 多克隆抗体

中文名称:	兔抗 LRRC19 多克隆抗体
英文名称:	Anti-LRRC19 rabbit polyclonal antibody
相关类别:	一抗
储 存:	冷冻 (-20℃)
宿 主:	Rabbit
抗 原:	LRRC19
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	LRRC19 is a member of the extracellular leucine-rich repeat superfamily, a family of proteins that are thought to have diverse functions such as cell adhesion, signaling, and innate immunity. LRRC19 is closely related to the Toll-like receptors (TLRs), especially TLR3. LRRC19 does not contain a cytoplasmic Toll/IL-1 receptor (TIR) domain, but can activate NF- $\kappa$ B and induce the production of proinflammatory cytokines after stimulation with the TLR3 and other TLR ligands, suggesting that LRRC19 may play a role in the recognition and the response to certain pathogenic microorganisms. LRRC19 has also been suggested to be a potential biomarker for pancreatic tumor sensitivity to the anti-cancer, small molecule Src inhibitor AZD0530.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	LRRC19
<b>Immunogen:</b>	Fusion protein of human LRRC19
<b>Full name:</b>	leucine rich repeat containing 19
<b>SwissProt:</b>	Q9H756
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human thyroid cancer and Human colorectal cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	42 kDa
<b>WB Positive control:</b>	A172 cell and mouse kidney tissue
<b>WB Recommended dilution:</b>	500-2000



