

兔抗 CHEK2(Ab-68) 多克隆抗体

中文名称：兔抗 CHEK2(Ab-68) 多克隆抗体

英文名称：Anti-CHEK2(Ab-68) rabbit polyclonal antibody

别名：CDS1; CHK2; LFS2; RAD53; hCds1; HuCds1; PP1425

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：CHEK2(Ab-68)

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	In response to DNA damage and replication blocks, cell cycle progression is halted through the control of critical cell cycle regulators. The protein encoded by this gene is a cell cycle checkpoint regulator and putative tumor suppressor. It contains a forkhead-associated protein interaction domain essential for activation in response to DNA damage and is rapidly phosphorylated in response to replication blocks and DNA damage.
Applications:	WB, IHC
Name of antibody:	CHEK2(Ab-68)
Immunogen:	Synthesized non-phosphopeptide derived from human Chk2 around the phosphorylation site of threonine 68.
Full name:	checkpoint kinase 2

Synonyms :	CDS1; CHK2; LFS2; RAD53; hCds1; HuCds1; PP1425
SwissProt:	O96017
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	61 kDa
WB Positive control:	Jurkat and Hela cells lysates treated with etoposide 25uM 2 4hours
WB Recommended dilution:	500-3000



