

兔抗 CLK2 多克隆抗体

中文名称: 兔抗 CLK2 多克隆抗体

英文名称: Anti-CLK2 rabbit polyclonal antibody

储 存: 冷冻 (-20℃)

抗 原: CLK2

宿 主: Rabbit

反应种属: Human, Mouse

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a dual specificity protein kinase that phosphorylates serine/threonine and tyrosine-containing substrates. Activity of this protein regulates serine- and arginine-rich (SR) proteins of the spliceosomal complex, thereby influencing alternative transcript splicing. Chromosomal translocations have been characterized between this locus and the PAFAH1B3 (platelet-activating factor acetylhydrolase 1b, catalytic subunit 3 (29kDa)) gene on chromosome 19, resulting in the production of a fusion protein. Note that this gene is distinct from the TELO2 gene (GeneID:9894), which shares the CLK2 alias, but encodes a protein that is involved in telomere length regulation. There is a pseudogene for this gene on chromosome 7. Alternative s

	plicing results in multiple transcript variants.
Applications:	ELISA, IHC
Name of antibody:	CLK2
Immunogen:	Synthetic peptide of human CLK2
Full name:	CDC like kinase 2
SwissProt:	P49760
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and human ovarian cancer
IHC Recommend dilution:	30-150



