

兔抗 CTLA4 多克隆抗体

中文名称：兔抗 CTLA4 多克隆抗体

英文名称：Anti-CTLA4 rabbit polyclonal antibody

别名：cytotoxic T-lymphocyte associated protein 4; CD; GSE; GRD4; ALPS5; CD152; CTLA-4; IDDM12; CELIAC3

相关类别：一抗

抗原：CTLA4

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a transmembrane domain, and a cytoplasmic tail. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. The membrane-bound isoform functions as a homodimer interconnected by a disulfide bond, while the soluble isoform functions as a monomer. Mutations in this gene have been associated with insulin-dependent diabetes mellitus, Graves disease, Hashimoto thyroiditis, celiac disease, systemic lupus erythematosus, thyroid-associated orbitopathy, and other autoimmune

	mune diseases.
Applications:	ELISA, IHC
Name of antibody:	CTLA4
Immunogen:	Synthetic peptide of human CTLA4
Full name:	cytotoxic T-lymphocyte associated protein 4
Synonyms:	CD; GSE; GRD4; ALPS5; CD152; CTLA-4; IDDM12; CELIAC 3
SwissProt:	P16410
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human ovarian cancer
IHC Recommend dilution:	25-100



