

兔抗 MAP2K2 (Phospho-Thr394)多克隆抗体

中文名称:	兔抗 MAP2K2 (Phospho-Thr394)多克隆抗体
英文名称:	Anti-MAP2K2 (Phospho-Thr394) rabbit polyclonal antibody
别名:	MEK2; MKK2; MAPKK2; PRKMK2
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	MAP2K2 (Phospho-Thr394)
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates the ERK1 and ERK2 MAP kinases.
Applications:	WB, IHC, IF
Name of antibody:	MAP2K2 (Phospho-Thr394)
Immunogen:	Synthetic peptide of human MAP2K2 (Phospho-Thr394)
Full name:	mitogen-activated protein kinase kinase 2 (Phospho-Thr394)
Synonyms:	MEK2; MKK2; MAPKK2; PRKMK2
SwissProt:	P36507
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	44 kDa

WB Positive control:	HepG2 and Hela cells treated with UV
WB Recommended dilution:	500-1000
Positive control:	Hela cells
Recommended dilution:	100-200



