

兔抗 MAP3K9 多克隆抗体

中文名称:	兔抗 MAP3K9 多克隆抗体
英文名称:	Anti-MAP3K9 rabbit polyclonal antibody
别名:	mitogen-activated protein kinase kinase kinase 9; MLK1; MEKK9; PRKE1
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	MAP3K9
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway. Plays an important role in the cascades of cellular responses evoked by changes in the environment. Once activated, acts as an upstream activator of the MKK/JNK signal transduction cascade through the phosphorylation of MAP2K4/MKK4 and MAP2K7/MKK7 which in turn activate the JNKs. The MKK/JNK signaling pathway regulates stress response via activator protein-1 (JUN) and GATA4 transcription factors. Plays also a role in mitochondrial death signaling pathway, including the release cytochrome c, leading to apoptosis.
Applications:	ELISA, IHC

Name of antibody:	MAP3K9
Immunogen:	Fusion protein of human MAP3K9
Full name:	mitogen-activated protein kinase kinase kinase 9
Synonyms:	MLK1; MEKK9; PRKE1
SwissProt:	P80192
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human prostate cancer and Human gastric cancer
IHC Recommend dilution:	50-100



