

## 兔抗 MAPK8 多克隆抗体

中文名称: 兔抗 MAPK8 多克隆抗体

英文名称: Anti-MAPK8 rabbit polyclonal antibody

别名: JNK, JNK1, PRKM8, SAPK1, JNK-46, JNK1A2, SAPK1c, JNK21B1/2

抗原: MAPK8

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格


**Background:** 

The protein encoded by this gene is a member of the M AP kinase family. MAP kinases act as an integration poin t for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, di fferentiation, transcription regulation and development. T his kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediat e-early gene expression in response to cell stimuli. The a ctivation of this kinase by tumor-necrosis factor alpha (T NF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation in duced apoptosis, which is thought to be related to cytoc hrom c-mediated cell death pathway. Studies of the mou



## 全国订货电话 4008-723-722

	se counterpart of this gene suggested that this kinase pl ay a key role in T cell proliferation, apoptosis and differe ntiation. Several alternatively spliced transcript variants en coding distinct isoforms have been reported.
Applications:	ELISA, WB, IHC
Name of antibody:	MAPK8
Immunogen:	Fusion protein of human MAPK8
Full name:	mitogen-activated protein kinase 8
Synonyms:	JNK; JNK1; PRKM8; SAPK1; JNK-46; JNK1A2; SAPK1c; JNK 21B1/2
SwissProt:	P45983
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human prostate cancer and Human liver cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	48 kDa
WB Positive control:	Jurkat, K562, Hela, A172 cell, Mouse brain tissue lysates
WB Recommended dilution:	500-2000



## 全国订货电话 4008-723-722



