

## 兔抗 DDX19B 多克隆抗体

中文名称: 兔抗 DDX19B 多克隆抗体

英文名称: Anti-DDX19B rabbit polyclonal antibody

别名: DBP5; RNAh; DDX19

相关类别: 一抗

抗 原: DDX19B

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

sses involving alteration of RNA secondary structure s uch as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Bas ed on their distribution patterns, some members of t his family are believed to be involved in embryogene sis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which exhibit s RNA-dependent ATPase and ATP-dependent RNA-u nwinding activities. This protein is recruited to the cyt


DEAD box proteins, characterized by the conserved m otif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicas es. They are implicated in a number of cellular proce


oplasmic fibrils of the nuclear pore complex, where it



## 全国订货电话 4008-723-722

	participates in the export of mRNA from the nucleus.  Multiple alternatively spliced transcript variants encodi ng different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	DDX19B
Immunogen:	Fusion protein of human DDX19B
Full name:	DEAD (Asp-Glu-Ala-Asp) box polypeptide 19B
Synonyms:	DBP5; RNAh; DDX19
SwissProt:	Q9UMR2
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human tonsil and human breast cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	54 kDa
WB Positive control:	Hela and 293T cells
WB Recommended dilution:	500-2000





全国订货电话 4008-723-722

