

兔抗 DDX43 多克隆抗体

- 中文名称: 兔抗 DDX43 多克隆抗体
- 英文名称: Anti-DDX43 rabbit polyclonal antibody
- 别名: CT13; HAGE
- 相关类别: 一抗
- 抗 原: DDX4
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	DEAD-box proteins, characterized by the conserved mot if Asp-Glu-Ala-Asp, are putative RNA helicases implicate d in several cellular processes involving modifications of RNA secondary structure and ribosome/spliceosome ass embly. Based on their distribution patterns, some mem bers of this family may be involved in embryogenesis, s permatogenesis and cellular growth and division. DDX4 3 (DEAD (Asp-Glu-Ala-Asp) box polypeptide 43), also kn own as CT13 or HAGE, is a 648 amino acid protein tha
	own as CT13 or HAGE, is a 648 amino acid protein tha
	t contains one KH domain, one helicase C-terminal do main and one helicase ATP-binding domain and belong s to the DEAD-box family. Expressed in testis and prese
	nt at abnormally high levels in a variety of tumors, DD



	X43 is thought to function as an ATP-dependent RNA helicase that may play a role tumor transformation and metastasis.
Applications:	ELISA, WB, IHC
Name of antibody:	DDX43
Immunogen:	Fusion protein of human DDX43
Full name:	DEAD (Asp-Glu-Ala-Asp) box polypeptide 43
Synonyms :	CT13; HAGE
SwissProt:	Q9NXZ2
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	73 kDa
WB Positive control:	HepG2 cells
WB Recommended dilution:	200-1000





