

兔抗 MARCHF2 多克隆抗体

- 中文名称：兔抗 MARCHF2 多克隆抗体
- 英文名称：Anti-MARCHF2 rabbit polyclonal antibody
- 别名：membrane associated ring-CH-type finger 2; MARCH2;
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：MARCHF2
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	MARCH2 is a member of the MARCH family of membrane-bound E3 ubiquitin ligases (EC 6.3.2.19). MARCH enzymes add ubiquitin (see MIM 191339) to target lysines in substrate proteins, thereby signaling their vesicular transport between membrane compartments. MARCH2 reduces surface accumulation of several glycoproteins and appears to regulate early endosome-to-trans-Golgi network (TGN) trafficking (Bartee et al., 2004 [PubMed 14722266]; Nakamura et al., 2005 [PubMed 15689499]).[supplied by OMIM, Mar 2010]
Applications:	ELISA, WB
Name of antibody:	MARCHF2
Immunogen:	Fusion protein of human MARCHF2
Full name:	membrane associated ring-CH-type finger 2

Synonyms:	MARCH2; RNF172; HSPC240; MARCH-II
SwissProt:	Q9P0N8
WB Predicted band size:	27 kDa
WB Positive control:	Human fetal liver tissue
WB Recommended dilution:	200-1000

