

## 兔抗 MARK2 多克隆抗体

- 中文名称：兔抗 MARK2 多克隆抗体
- 英文名称：Anti-MARK2 rabbit polyclonal antibody
- 别名：microtubule affinity regulating kinase 2; EMK1; EMK-1; PAR-1; Par1b; Par-1b
- 相关类别：一抗
- 抗原：MARK2
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the Par-1 family of serine/threonine protein kinases. The protein is an important regulator of cell polarity in epithelial and neuronal cells, and also controls the stability of microtubules through phosphorylation and inactivation of several microtubule-associated proteins. The protein localizes to cell membranes. Multiple transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	MARK2

<b>Immunogen:</b>	Synthetic peptide of human MARK2
<b>Full name:</b>	microtubule affinity regulating kinase 2
<b>Synonyms:</b>	EMK1; EMK-1; PAR-1; Par1b; Par-1b
<b>SwissProt:</b>	Q7KZI7
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	88 kDa
<b>WB Positive control:</b>	Raji and A431 cell lysates
<b>WB Recommended dilution:</b>	500-2000



