

兔抗 DPYSL2(Ab-509) 多克隆抗体

中文名称：兔抗 DPYSL2(Ab-509) 多克隆抗体

英文名称：Anti-DPYSL2(Ab-509) rabbit polyclonal antibody

别名：DRP2; N2A3; CRMP2; DRP-2; ULIP2; CRMP-2; DHPRP2; ULIP-2

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：DPYSL2(Ab-509)

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | Plays a role in neuronal development and polarity, as well as in axon growth and guidance, neuronal growth cone collapse and cell migration. Necessary for signaling by class 3 semaphorins and subsequent remodeling of the cytoskeleton. May play a role in endocytosis. |
| Applications: | WB, IHC |
| Name of antibody: | DPYSL2(Ab-509) |
| Immunogen: | Synthesized non-phosphopeptide derived from human CRMP-2 around the phosphorylation site of threonine 509 (S-V-T(p)-P-K). |
| Full name: | dihydropyrimidinase-like 2 |
| Synonyms : | DRP2; N2A3; CRMP2; DRP-2; ULIP2; CRMP-2; DHPRP2; ULI |

| | |
|---------------------------------|--|
| | P-2 |
| SwissProt: | Q16555 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 62 kDa |
| WB Positive control: | HT-29 cells treated with heat shock lysate |
| WB Recommended dilution: | 500-3000 |



