

兔抗 MANSC1 多克隆抗体

- 中文名称: 兔抗 MANSC1 多克隆抗体
- 英文名称: Anti-MANSC1 rabbit polyclonal antibody
- 别 名: MANSC domain containing 1; LOH12CR3; 9130403P13Rik
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: MANSC1
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | MANSC1 (MANSC domain-containing protein 1), also kn own as LOH12CR3 (Loss of heterozygosity 12 chromoso mal region 3 protein), is a 414 amino acid single-pass membrane protein. Expressed throughout the body, MA NSC1 contains one MANSC domain and is encoded by a gene that is located on chromosome 12. Encoding ov er 1,100 genes within 132 million bases, chromosome 1 2 makes up about 4.5% of the human genome. A num ber of skeletal deformities are linked to chromosome 1 2, including hypochondrogenesis, achondrogenesis and Kniest dysplasia. Chromosome 12 is also home to a ho meobox gene cluster which encodes crucial transcription factors for morphogenesis, and the natural killer compl |
|-------------|--|
| | factors for morphogenesis, and the natural killer compl ex gene cluster encoding C-type lectin proteins which |





| | mediate the NK cell response to MHC I interaction. |
|-----------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | MANSC1 |
| Immunogen: | Fusion protein of human MANSC1 |
| Full name: | MANSC domain containing 1 |
| Synonyms: | LOH12CR3; 9130403P13Rik |
| SwissProt: | Q9H8J5 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil and Human cervical cancer |
| IHC Recommend dilution: | 50-300 |



