

兔抗 EDA2R 多克隆抗体

中文名称：兔抗 EDA2R 多克隆抗体

英文名称：Anti-EDA2R rabbit polyclonal antibody

别名：XEDAR; EDAA2R; EDA-A2R; TNFRSF27

相关类别：一抗

储存：冷冻（-20℃）

抗原：EDA2R

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	EDA-A1 and EDA-A2 are two isoforms of ectodysplasin that are encoded by the anhidrotic ectodermal dysplasia (EDA) gene. Mutations in EDA give rise to a clinical syndrome characterized by loss of hair, sweat glands, and teeth. The protein encoded by this gene specifically binds to EDA-A2 isoform. This protein is a type III transmembrane protein of the TNFR (tumor necrosis factor receptor) superfamily, and contains 3 cysteine-rich repeats and a single transmembrane domain but lacks an N-terminal signal peptide. Alternatively spliced transcript variants have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	EDA2R

Immunogen:	Fusion protein of human EDA2R
Full name:	ectodysplasin A2 receptor
Synonyms :	XEDAR; EDAA2R; EDA-A2R; TNFRSF27
SwissProt:	Q9HAV5
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human esophagus cancer and human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	33 kDa
WB Positive control:	293T cells
WB Recommended dilution:	500-2000



