

兔抗 GTF3A 多克隆抗体

- 中文名称：兔抗 GTF3A 多克隆抗体
- 英文名称：Anti-GTF3A rabbit polyclonal antibody
- 别名：general transcription factor IIIA; AP2; TFIIIA
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：GTF3A
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

The product of this gene is a zinc finger protein with nine Cis[2]-His[2] zinc finger domains. It functions as an RNA polymerase III transcription factor to induce transcription of the 5S rRNA genes. The protein binds to a 50 bp internal promoter in the 5S genes called the internal control region (ICR), and nucleates formation of a stable preinitiation complex. This complex recruits the TFIIC and TFIIB transcription factors and RNA polymerase III to form the complete transcription complex. The protein is thought to be translated using a non-AUG translation initiation site in mammals based on sequence analysis, protein homology, and the size of the purified

	ed protein.
Applications:	ELISA, IHC
Name of antibody:	GTF3A
Immunogen:	Synthetic peptide of human GTF3A
Full name:	general transcription factor IIIA
Synonyms:	AP2; TFIIIA
SwissProt:	Q92664
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	50-300



