

## 兔抗 GTF3C4 多克隆抗体

中文名称：兔抗 GTF3C4 多克隆抗体

英文名称： Anti-GTF3C4 rabbit polyclonal antibody

别名： general transcription factor IIIC subunit 4; KAT12; TFIIH90; TFIIC90; TFIIC290; TF3C-delta; TFIICDELTA

相关类别： 一抗

储存： 冷冻 (-20℃)

宿主： Rabbit

抗原： GTF3C4

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	Essential for RNA polymerase III to make a number of small nuclear and cytoplasmic RNAs, including 5S RNA, tRNA, and adenovirus-associated (VA) RNA of both cellular and viral origin. Has histone acetyltransferase activity (HAT) with unique specificity for free and nucleosomal H3. May cooperate with GTF3C5 in facilitating the recruitment of TFIIB and RNA polymerase through direct interactions with BRF1, POLR3C and POLR3F. May be localized close to the A box.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	GTF3C4
<b>Immunogen:</b>	Synthetic peptide of human GTF3C4

<b>Full name:</b>	general transcription factor IIIc subunit 4
<b>Synonyms:</b>	KAT12; TFIII90; TFIIIc90; TFIIIc290; TF3C-delta; TFIIIcDELTA
<b>SwissProt:</b>	Q9UKN8
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer
<b>IHC Recommend dilution:</b>	150-300
<b>WB Predicted band size:</b>	92 kDa
<b>WB Positive control:</b>	A172, HeLa, Jurkat and Raji cell lysates
<b>WB Recommended dilution:</b>	1000-5000



