

## 兔抗 MPZL1 多克隆抗体

- 中文名称: 兔抗 MPZL1 多克隆抗体
- 英文名称: Anti-MPZL1 rabbit polyclonal antibody
- 别名: myelin protein zero like 1; PZR; PZRa; PZRb; PZR1b; MPZL1b
- 相关类别: 一抗
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 抗原: MPZL1
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | Cell surface receptor, which is involved in signal transduction processes. Recruits PTPN11/SHP-2 to the cell membrane and is a putative substrate of PTPN11/SHP-2. Is a major receptor for concanavalin-A (ConA) and is involved in cellular signaling induced by ConA, which probably includes Src family tyrosine-protein kinases. Isoform 3 seems to have a dominant negative role; it blocks tyrosine phosphorylation of MPZL1 induced by ConA. Isoform 1, but not isoform 2 and isoform 3, may be involved in regulation of integrin-mediated cell motility. |
| <b>Applications:</b>     | ELISA, IHC  |
| <b>Name of antibody:</b> | MPZL1   |
| <b>Immunogen:</b>        | Fusion protein of human MPZL1   |
| <b>Full name:</b>        | myelin protein zero like 1  |

|                                    |                                |
|------------------------------------|--------------------------------|
| <b>Synonyms:</b>                   | PZR; PZRa; PZRb; PZR1b; MPZL1b |
| <b>SwissProt:</b>                  | O95297                         |
| <b>ELISA Recommended dilution:</b> | 5000-10000                     |
| <b>IHC positive control:</b>       | Human tonsil and Human brain   |
| <b>IHC Recommend dilution:</b>     | 20-100                         |



